

Green Label Hardware Selection Guide

V4.0, 2019-8-1

ZKTeco has an extensive Time management & Access Control hardware and software products range. This selection table assist you to compare all Green Label products against different requirements. Once you have any further questions, please email us at GL@zkteco.com for detailed discussions.

✓ = Available

✗ = Not available

● = Optional

A = Available Upon Customization

MODEL FEATURE	METHOD										
	Fingerprint	Face	Vein	Card							Password
				ID	MIFARE	MIFARE DESFire	HID Prox.	HID iCLASS	LEGIC	ZK Encryption Card	
TIME ATTENDANCE											
G1	✓	✗	✗	✓	●	A	A	A	A	A	✓
G2	✓	✗	✗	✓	●	A	A	A	A	A	✓
G3	✓	✓	✗	✓	●	A	A	A	A	A	✓
G4	✓	✓	✗	A	✓	A	A	A	A	A	✓
ACCESS CONTROL											
inPulse+	✓	✗	✓	✓	●	A	A	A	A	●	✓
inPulse	✗	✗	✓	✓	●	A	A	A	A	●	✓
ProBIO	✓	✓	✗	✓	●	A	A	A	A	●	✓
ProFAC	✗	✓	✗	✓	●	A	A	A	A	●	✓
ProCapture-T	✓	✗	✗	✓	●	A	A	A	A	●	✓
ProCapture-WP	✓	✗	✗	✓	●	A	A	A	A	●	✓
ProCapture-X	✓	✗	✗	✓	●	A	A	A	A	●	✓
ProRF-T	✗	✗	✗	✓	●	A	A	A	A	●	✓
ProRF	✗	✗	✗	✓	●	A	●	A	A	A	✗
ProFace X	✗	✓	✗	✓	●	A	A	A	A	A	✓
ACCESS CONTROL PANEL											
inBio160/260/460 Pro	✓ Wiegand/ RS485	● Wiegand	● Wiegand	✓ Wiegand/ RS485	● Wiegand/ RS485	● Wiegand/ RS485	● Wiegand	● Wiegand	● Wiegand	● Wiegand/ RS485	✓ Wiegand/RS485
READER											
ProID10	✗	✗	✗	✓	✓	✓	✗	✗	A	A	✗
ProID20	✗	✗	✗	✓	✓	✓	✗	✗	A	A	✗
ProID30	✗	✗	✗	✓	✓	✓	✗	✗	A	A	✓
ProID40	✗	✗	✗	✓	✓	✓	✗	✗	A	A	✗

MODEL FEATURE	SCREEN		COMMUNICATION										FUNCTIONALITY					Suggestion Software
	Color Screen	Capacitive Touch Screen	TCP/IP	WiFi	3G	GPRS	USB Host	RS485 for Reader	Wiegand In	Wiegand Out	AUX. Input	AUX. output	Time Attendance	Battery	Door Access	POE	WaterProof	
TIME ATTENDANCE																		
G1	✓	✗	✓	●	✗	✗	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	ZKTime.Web ZKTime.Net 3.0 WDMS
G2	✓	✗	✓	●	●	●	✓	A	✓	✓	✗	✗	✓	✗	✓	✗	✗	ZKTime.Web ZKTime.Net 3.0 WDMS
G3	✓	✓	✓	●	●	●	✓	A	✗	✓	✗	✗	✓	●	✓	✗	✗	ZKTime.Web ZKTime.Net 3.0 WDMS
G4	✓	✓	✓	✓	✗	✗	✓	✗	✓	✓	✗	✗	✓	✗	✓	✗	✗	BioTime7.0 ZKBioSecurity
ACCESS CONTROL																		
inPulse+	✓	✓	✓	✗	✗	✗	✓	✗	✓	✓	1	1	✗	✗	✓	✗	✗	ZKBioSecurity
inPulse	✓	✓	✓	✗	✗	✗	✓	✗	✓	✓	1	1	✗	✗	✓	✗	✗	ZKBioSecurity
ProBIO	✓	✓	✓	✗	✗	✗	✓	✓	✓	✓	1	1	✗	✗	✓	✗	✗	ZKBioSecurity
ProFAC	✓	✓	✓	✗	✗	✗	✓	✗	✓	✓	1	1	✗	✗	✓	✗	✗	ZKBioSecurity
ProCapture-T	✓	✗	✓	✗	✗	✗	✓	✓	✓	✓	1	1	✗	✗	✓	✗	✗	ZKBioSecurity
ProCapture-X	✓	✗	✓	●	✗	✗	✓	✓	✓	✓	1	1	✗	✗	✓	✓	✗	ZKBioSecurity
ProCapture-WP	✓	✗	✓	✗	✗	✗	✗	✓	✓	✓	1	1	✗	✗	✓	✗	✓	ZKBioSecurity
ProRF-T	✓	✗	✓	✗	✗	✗	✓	✗	✓	✓	1	1	✗	✗	✓	✗	✗	ZKBioSecurity
ProRF	✗	✗	✓	A	✗	✗	✗	✓	✓	✓	1	1	A	✗	✓	✗	✓	ZKBioSecurity
ProFace X	✓	✓	✓	●	✗	✗	✗	✓	✓	✓	1	1	✗	✗	✓	✗	✓	ZKBioSecurity
ACCESS CONTROL PANEL																		
inBio160/260/460 Pro	✗	✗	✓	✗	✗	✗	✗	✓	✓	✗	inBio160 Pro: 2 inBio260 Pro: 4 inBio460 Pro: 4	inBio160 Pro: 1 inBio260 Pro: 2 inBio460 Pro: 4	✗	✗	✓	✗	✗	ZKBioSecurity
READER																		
ProID10	✗	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗		✗	✗	✗	✗	✗	
ProID20	✗	✗	✗	✗	✗	✗	✗	●	✗	✓	✗		✗	✗	✗	✗	✗	
ProID30	✗	✗	✗	✗	✗	✗	✗	●	✗	✓	✗		✗	✗	✗	✗	✗	
ProID40	✗	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗		✗	✗	✗	✗	✗	